

# Nintendo ENTERTAINMENT SYSTEM

## Credits

---

Design and program by John Van Ryzin  
Produced by Garry Kitchen  
Graphics by W. R. Wentworth and John Van Ryzin  
Music by Scott Marshall  
Digitized Voice Created by David Crane  
Package and Manual Design by W. R. Wentworth  
Instruction Manual by Barry Marx and Paula Polley



EmuMovies

Published by Absolute Entertainment, Inc., 251 Rock Road, P.O. Box 116, Glen Rock, NJ 07452. Distributed by Electro Brain Corp. Space Shuttle Project is a trademark of Absolute Entertainment, Inc. All rights reserved. Absolute Entertainment is a registered trademark of Absolute Entertainment, Inc. All rights reserved. Nintendo, Nintendo Entertainment System, and the Official Seal are registered trademarks of Nintendo of America Inc. © 1989 Nintendo of America Inc. © 1991 Absolute Entertainment, Inc. All rights reserved.

Printed in Japan

Shuttle Photo Credit: National Aeronautics and Space Administration.

# Nintendo ENTERTAINMENT SYSTEM



# Nintendo ENTERTAINMENT SYSTEM



"This official seal is your assurance that Nintendo® has reviewed this product and that it has met our standards for excellence in workmanship, reliability and entertainment value. Always look for this seal when buying games and accessories to ensure complete compatibility with your Nintendo Entertainment System®."

Licensed by Nintendo®  
for play on the



Nintendo® and Nintendo Entertainment System® are trademarks of Nintendo of America Inc.

## SAFETY TIPS

### ADVISORY: READ BEFORE USING YOUR NES/SUPER NES

A very small portion of the population may experience epileptic seizures when viewing certain kinds of flashing lights or patterns that are commonly present in our daily environment. These persons may experience seizures while watching some kinds of television pictures or playing certain video games. Players who have not had any previous seizures may nonetheless have an undetected epileptic condition. We suggest that you consult your physician if you have an epileptic condition or if you experience any of the following symptoms while playing video games: altered vision, muscle twitching, other involuntary movements, loss of awareness of your surroundings, mental confusion and/or convulsions.

# Nintendo ENTERTAINMENT SYSTEM

**WARNING: DO NOT USE WITH FRONT OR REAR PROJECTION TV**

Do not use a front or rear projection television with your Nintendo Entertainment System® ("NES") and NES games. Your projection television screen may be permanently damaged if video games with stationary scenes or patterns are played on your projection television. Similar damage may occur if you place a video game on hold or pause. If you use your projection television with NES games, Nintendo will not be liable for any damage. This situation is not caused by a defect in the NES or NES games; other fixed or repetitive images may cause similar damage to a projection television. Please contact your TV manufacturer for further information.

- Always turn the power off before inserting or removing the Game Pak from your NINTENDO® ENTERTAINMENT SYSTEM.™
- This is a high precision game. It should not be stored in places that are very hot or cold. Store it at room temperature. Never hit or drop it. Do not take it apart.
- Avoid touching the terminal connectors. Keep them clean by inserting the Game Pak in its protective storage case.
- Use of thinners, solvents, benzene, alcohol and other strong cleaning agents can damage the Game Pak.

# Nintendo ENTERTAINMENT SYSTEM

## TABLE OF CONTENTS

---

SHUTTLE COUNCIL DIRECTIVE .....	5
PRE-FLIGHT PROCEDURES .....	6
THE CONTROL PANEL .....	6
SECURITY CHECK .....	7
MISSION REGISTER .....	8
OPERATIONAL STAGES .....	9
FUELING/BOARDING: STAGE 1 .....	9
LIFT-OFF: STAGE 2 .....	11
SHUTTLE GUIDANCE SYSTEM .....	12
EXTRAVEHICULAR ACTIVITY: STAGE 3 .....	
• LIFE SUPPORT .....	16
• MMU POWER REVS .....	16
MISSION BRIEFING .....	
• MISSION 1: SATELLITE LAUNCH .....	17
• MISSION 2: SPACE SHUTTLE CONSTRUCTION (INITIAL PHASE) .....	18
• MISSION 3: SATELLITE RETRIEVAL AND RE-LAUNCH .....	19
• MISSION 4: SPACE STATION CONSTRUCTION (SECOND PHASE) .....	20
• MISSION 5: SOVIET COSMONAUT RESCUE .....	21
• MISSION 6: SPACE STATION CONSTRUCTION (FINAL PHASE) .....	22
REENTRY: STAGE 4 .....	23
GLOSSARY .....	24





### Office of the Director

After careful review of top aerospace candidates and current personnel, the Council congratulates you on your outstanding training performance and is pleased to inform you of your status elevation to Shuttle Commander, effective immediately.

You are hereby enjoined to lead a series of six Alpha Priority missions vital to our nation's welfare, U.S.-Soviet relations, and the continuation of the space program itself.

Your orders are contained within this document, which you should read and understand completely before proceeding. You are reminded that discussion of Shuttle operations with persons not cleared by Security Directive 3.33.0 is a breach of the Secrecy Act. Failure to comply with this regulation will result in swift military prosecution.

The Council charges you with sole responsibility for the success of these missions and the safe return of your flight crew and Shuttle.

Good luck, Commander.

# Nintendo ENTERTAINMENT SYSTEM

## ***PRE-FLIGHT PROCEDURES***


1. Make sure the power switch is OFF.
2. Insert the Space Shuttle Project™ CARTRIDGE as described in your NINTENDO® ENTERTAINMENT SYSTEM™ manual.
3. Turn the power switch ON.

**TO START:** Push the START BUTTON on the game controller.


## ***THE CONTROL PANEL***

The following illustration demonstrates the control keys on your Council-approved NINTENDO® ENTERTAINMENT SYSTEM™ controller. All shuttle operations are performed via this controller. Throughout this manual we will refer to these controls by the names indicated here.

**CONTROLLER:**



**CONTROLLER KEYS:**



## SECURITY CHECK

Intelligence reports indicate renewed espionage activity in the field. Be advised of possible hostile infiltration. Class A security measures will now be enforced. You are expected to thoroughly familiarize yourself with all new entry procedures—deviation from these procedures will be considered sabotage and will be dealt with severely.

### ENTRY PROCEDURES

- 1. Memorize Security Code** Look at the numbers displayed on the LED read-out. This is your security code. Memorize or write down this four-digit number. Also memorize the name of the **shuttle craft** that is displayed below the number.
- 2. Enter Name** Use the CONTROLLER KEYS to move the cursor. Press BUTTON A to select a letter. To erase a mistake press BUTTON B. When you have completed your entry, select "END."
- 3. Clear your Code** Once your name is entered, your code will highlight. Immediately after, the numbers on the read-out will begin to cycle independently. (This is why it is vitally important that you take a good look at the number before you select "END.")

- 4. Enter your Security Code** Starting with the first digit, press BUTTON A when the correct number is displayed. Repeat for all 4 digits.

**Note:** If you are continuing your flight history from previously flown missions, you must enter the **Top Secret** security code you were issued at the end of those missions (see the Council Advisory below).

- 5. Confirm Shuttle Craft** When the name of the craft originally shown (in Step 2, above) is displayed, press BUTTON A.
- 6. Start or Repeat** If the sign-in procedure is successful, you will be cleared by the security mainframe and given admittance to the launch pad. Failure to sign in correctly will result in 4 more opportunities to do so. Failure after the fourth effort will alert security forces.

**COUNCIL ADVISORY:** Upon successful completion of each mission, Shuttle Security will issue you a personalized **Top Secret** entry code. Use of this code on future flights will enable you to bypass previously-completed missions.



## ***MISSION REGISTER***

---

You have been assigned a total of six missions; each of increasing technical complexity. The Council expects your abilities will improve with experience.

***MISSION 1—Launch Satellite***

***MISSION 2—Begin Space Station Construction  
(Initial Phase)***

***MISSION 3—Retrieve and Re-launch Satellite***

***MISSION 4—Continue Space Station Construction  
(Second Phase)***

***MISSION 5—Rescue Cosmonaut***

***MISSION 6—Complete Space Station Construction  
(Final Phase)***

## ***OPERATIONAL STAGES***

---

The following stages and procedures comprise each of the six missions. Stages 1, 2, and 4 are pre-launch, lift-off, and reentry operations; Stage 3, Extravehicular Activity, consists of a particular mission assignment. All four stages must be completed in their entirety for a mission to be deemed successful.

## ***FUELING/BOARDING: STAGE 1***

---

It is essential you perform these operations in order to prepare the craft for lift-off and to ensure a timely departure.

### ***OBJECTIVES***

- Activate oxygen pump
- Activate hydrogen pump
- Open orbiter hatch
- Escort crew into orbiter

Once this phase is complete, **Stage 2** will commence.

# Nintendo ENTERTAINMENT SYSTEM

## STAGE 1

### O<sub>2</sub> TANK

- 2.** Activate oxygen tank (press **BUTTON A** at flashing switch)

### H TANK


- 3.** Activate hydrogen pump (press **BUTTON A** at flashing switch)

### WALKWAY

- 6.** Escort crew member through hatch (stop outside elevator for him to pass)

### ELEVATOR

- 1.** Enter elevator and go up (use **CONTROLLER KEYS**)



### EXTERNAL TANK (ET)

### SOLID ROCKET BOOSTER (SRB)

### HATCH

- 4.** Open Orbiter Hatch (press **BUTTON A** at flashing switch)

### BOTTOM

- 5.** Take elevator down and collect crew (one at a time)

**Repeat Steps 5 and 6** for each member of your crew. When the message "GET IN COMMANDER" appears, your entire crew is aboard the craft and it is now time for you to embark.

**CRUCIAL ADVISORY:** In each mission the Fueling and Boarding Stage is timed. In *Mission 1* you have 60 seconds to complete all operations; later missions have different time limits.

## **LIFT-OFF: STAGE 2**

---

Successful completion of this phase will ensure the craft's ability to break gravitational pull and enter orbit.

### **OBJECTIVES**

- Navigational tracking
- Roll 120°
- Throttle down to 65%
- Throttle up to 100%
- Solid Rocket Booster (SRB) Separation
- Throttle down to 65%
- Main Engine Cutoff
- External Tank (ET) Separation
- Fire Orbital Maneuvering System (OMS) #1
- Fire Orbital Maneuvering System (OMS) #2

To perform the above operations you must become familiar with the computerized **Shuttle Guidance Systems** displayed on the Control Panel. The next section explains these systems in detail.

# Nintendo ENTERTAINMENT SYSTEM

## SHUTTLE GUIDANCE SYSTEM

SHUTTLE GUIDANCE SYSTEM WINDOW



The computerized Shuttle Guidance System controls your craft's operations during Lift-off, Reentry, and Landing. Each of the functions run by the system will appear on the CRT of the Shuttle Control Panel. You will also see a prompt that labels the function you are being asked to perform.

Read and study the function descriptions below. Each mission will require different combinations of these functions due to varying orbital coordinates. Refer back to this list whenever necessary.

## SHUTTLE FUNCTION DISPLAYS FLIGHT PROCEDURE DISPLAY



Stop needle here  
(Press Button A.)

Used during Lift-off for: ROLL, SPB, SEP, MC, CL, SEP

Used during Reentry for: COORS, S, TURN, TARM, GEAR



# Nintendo ENTERTAINMENT SYSTEM

## THRUST INDICATOR



Move the throttle (bottom arrow) to match the desired thrust indicated by the computer (top arrow).  
(Use RIGHT and LEFT controller keys.)

Used during Lift-off for THRUST, GMS #1, GMS #2  
Used during Reentry for THRUST BRAKE

**COUNCIL ADVISORY:** When responding to computer THRUST during launch, and to see the RIGHT controller key. This is the position the indicator will be during when the sequence starts.

## TEST INDICATOR



Duplicate the indicator light sequence given by the computer.  
(Use the RIGHT and LEFT controller keys to move to a light, use BUTTON A to lock in your choice.)

Used in Lift-off and Reentry for VALVES adjustment

## VERNIER INDICATOR



Move your indicator arrow through the space in the moving bar. (Press UP or DOWN controller keys.)

*Used in Lift-off and Reentry for VERNIER adjustment.*

**Connect Advisory:** Wait for the message for Airflow chamber sensor adjustment to make your arrow.

## GIMBAL INDICATOR



Press BUTTON B to stop needle in the blue area on the left.

Press BUTTON A to stop needle in the blue area on the right.

*Used during Lift-off and Reentry for GIMBAL adjustment.*


## TRACKING INDICATOR



Use the UP and DOWN controller keys to keep the slow-moving tracking indicator dot as close to the computer generated wave line as possible.

Used during Entry for Navigational TRACKING

## MANEUVER INDICATOR



Stop needle here  
(Press the appropriate controller key [UP, DOWN, RIGHT, LEFT] when prompted by the computer.)

Used during Reentry for YAW, PITCH, ROLL, FLARE

## ALIGNMENT INDICATOR



Align the moving shuttle image to overlap the stationary computer-generated shuttle image.


(Press and hold down RIGHT and LEFT controller keys; press BUTTON A quickly to lock in when overlapped images flash.)

Used during Reentry for Navigational ALIGNMENT

## EXTRAVEHICULAR ACTIVITY: STAGE 3

### THE MISSIONS

This stage consists of the actual mission you are required to perform. Before proceeding to the **Mission Briefing** section, be sure you have a thorough understanding of the following life support components.



### LIFE SUPPORT: OXYGEN

Maintain close observation of your oxygen levels during extravehicular activity. You will use O<sub>2</sub> at a constant rate during spacewalk maneuvers. When your O<sub>2</sub> supply reaches critically low levels, find and touch the emergency O<sub>2</sub> tanks. These can be found in various locations attached to the Space Station, or freestanding in space.

### MMU POWER REVS

The power supply contained by your Manned Maneuvering Unit (MMU) is limited and is severely affected by asteroid and satellite collisions. Check the number displayed beneath your O<sub>2</sub> level to see how many power revs are available to you. To replenish this supply and gain extra revs, locate and touch the moving energy modules.

## MISSION 1: SATELLITE LAUNCH

### OBJECTIVES

- Release satellite from Cargo Bay
- Place satellite into orbit
- Complete task before full depletion of O<sub>2</sub> supply

**COUNCIL ADVISORY:** Be sure to position the satellite at a sufficient distance from the other satellites that orbit Earth. This will ensure that it has enough time to open its solar panels and begin its orbit before a collision occurs.

#### EARTH

- 2.** Use RIGHT, LEFT, UP, DOWN controller keys to maneuver satellite into its orbital path around the Earth, avoiding other satellites.

#### CARGO BAY

- 1.** Press BUTTON A to release satellite from Cargo Bay.



- 3.** Press BUTTON A to release satellite into orbit.



## MISSION 2: SPACE STATION CONSTRUCTION (INITIAL PHASE)

### OBJECTIVES

- Release Manned Maneuvering Unit (MMU) from Cargo Bay
- Carry Space Station building component to construction zone

- Install building component where needed (see illustration)
- Return MMU to shuttle Cargo Bay
- Repeat for all building components in Cargo Bay
- Monitor oxygen levels—replenish O<sub>2</sub> supply as needed at attached O<sub>2</sub> tanks

#### MMU

1. Press **BUTTON A** to release MMU from Cargo Bay

#### SPACE STATION

2. Use **RIGHT/LEFT UP/DOWN** controller keys to move toward Space Station

#### CARGO BAY

5. Return here for additional pieces. It takes 4 components to complete this phase of construction.



#### SATELLITE

3. Avoid orbiting satellites

#### CONSTRUCTION ZONE

4. Align your component with other Space Station components. Search for areas that are missing pieces. When properly positioned, the component will lock into place.

**COUNCIL ADVISORY:** For maximum efficiency during construction, the Council recommends a slow and cautious pace. Such restraint offers maximum visibility necessary for orbiting satellite avoidance.

## MISSION 3: SATELLITE RETRIEVAL AND RE-LAUNCH

### OBJECTIVES

- Release Manned Maneuvering Unit (MMU) from Cargo Bay
- Retrieve orbiting satellite
- Return satellite to Cargo Bay for repairs
- Return satellite to orbit
- Return to shuttle Cargo Bay
- Monitor oxygen levels—complete task before depletion of O<sub>2</sub> supply

#### MMU


- 1.** Press **BUTTON A** to release MMU

#### CARGO BAY

- 5.** Enter slowly with satellite

- 6.** Return satellite to its original orbit

- 7.** Return MMU to shuttle



- 2.** Use **RIGHT**, **LEFT**, **UP**, **DOWN** controller keys to move

#### ASTEROID

- 3.** Avoid asteroids

#### SATELLITE

- 4.** Catch satellite as it orbits Earth and return it to Cargo Bay

**COUNCIL ADVISORY:** Taking a position with a full view of Earth allows the maximum visibility necessary for asteroid avoidance.

## ***MISSION 4: SPACE STATION CONSTRUCTION (SECOND PHASE)***

---

Follow the instructions given for **Mission 2** on page 18. Note that this phase takes **6** construction components to complete.

**COUNCIL ADVISORY:** The high-voltage sections of the Space Station must be re-exposed during this phase of construction. Alignment must ensure good these sections, which are identified by their porous red surface.

## MISSION 5: SOVIET COSMONAUT RESCUE

### OBJECTIVES

- Release Manned Maneuvering Unit (MMU) from Cargo Bay
- Perform spacewalk toward stranded cosmonaut
- Rescue cosmonaut
- Return MMU and cosmonaut to shuttle Cargo Bay
- Monitor oxygen supply—replenish as necessary by sustaining contact with freestanding O<sub>2</sub> tanks

#### MMU

**1.**

Press **DOWN A** to release

MMU

#### SOYEZ CRAFT

**3.**

Move MMU to Soyuz craft  
and grasp cosmonaut



**2.**

Use **RIGHT-LEFT UP**  
**DOWN** controller keys to  
maneuver

#### CARGO BAY

**4.**

Maneuver back to shuttle  
and enter Cargo Bay with  
cosmonaut

## ***MISSION 6: SPACE STATION CONSTRUCTION (FINAL PHASE)***

---

Follow the instructions given for **Mission 2** on page 18. This last phase of construction requires you to venture toward the most treacherous areas of the Space Station. Note that this phase takes 8 construction components to complete.

**COUNCIL ADVISORY:** Due to the time constraints of this mission and the extreme hazardous nature of the path from Orbiter to Space Station, the Council has ordered installation of a vacuum Transfer Tube. Entering this Tube will facilitate your return to the Orbiter from outer reaches of the station. Regrettably, location and status of this installation was unavailable to the Council at press time.



## REENTRY: STAGE 4

---

In this stage you must perform these operations to reenter Earth's atmosphere and touch down:

- Close Cargo Bay doors
- Turn orbiter around (YAW and thrust)
- Orbital burn to slow down
- Pitch orbiter nose up
- Fall into Earth's atmosphere
- Perform S-turn
- Approach runway
- Deploy landing gear
- Land and apply brakes

To complete the objectives listed above requires knowledge of the **Computer Guidance System** functions, described on page 12-15. The display window will flash the action you are required to perform.

Remember—later missions include more complex computer functions due to more complicated mission objectives. Refer back to the Guidance System list and study it.

## GLOSSARY

---

### CREW

#### COMMANDER

—Responsible for overall crew safety and flight execution.

#### MISSION SPECIALIST

—Coordinates payload operations and performs scientific objectives.

#### PAYLOAD SPECIALIST

—Non-professional astronaut who is an expert on the payload to be deployed.

#### PILOT

—Second in command; assists Commander.

### ACRONYMS

#### ET

—**External Tank** (attached to the Orbiter bottom)

#### MECO

—**Main Engine CutOff**

#### MET

—**Mission Elapsed Time**

#### MMU

—**Manned Maneuvering Unit** (propellant device that attaches to astronaut for movement through space during extravehicular activity)

#### OMS

—**Orbital Maneuvering System** (jet engines used to position the Orbiter in space)

#### SEP

—**SEP**aration

#### SRB

—**Solid Rocket Booster** (twin SRBs are located on either side of the Orbiter)

#### SSME

—**Space Shuttle Main Engine**

#### STS

—**Space Transportation System**

#### TAEM

—**Terminal Area Energy Management** (process that conserves energy during reentry)

---

## DEFINITIONS

### CARGO BAY

—Area inside the large doors located on the top of the Orbiter.

### DEORBIT BURN

—The firing of the OMS engines to slow the Orbiter down to below orbital speed and facilitate reentry.

### GIMBAL

—Type of hinged attachment used for the rocket nozzles to allow multi-directional thrust.

### ORBITER

—Winged portion of the Space Shuttle system.

### PAYLOAD

—Equipment contained in the Cargo Bay specific to a particular mission.

### PITCH

—Up and down rotation of the Orbiter (nose to tail).

### ROLL

—Bottom to top rotation of the Orbiter (roof to landing gear).

### VERNIER

—Small engine used for precise adjustments in Orbiter position.

### YAW

—Side to side rotation of the Orbiter (right wing to left wing).

## SPACE SHUTTLE PROJECT™

### **SPECIAL OFFER!**

Ever wonder what the Space Shuttle astronauts do for food up there, miles and miles above the nearest restaurant? Well, we wondered too, and now we've got an answer we'd like to share with you.



Absolute Entertainment is proud to announce that it's obtained a limited quantity of **Astronaut Ice Cream**, that space-age taste sensation similar to the one enjoyed by real astronauts! This freeze-dried food product is made from the same ingredients found in regular ice cream. Eat it anywhere, anytime, without the usual ice cream mess. Pack it along when you go off to school, work, picnics, or even the beach—it never melts!

Each **Astronaut Ice Cream** packet contains vanilla, chocolate, and strawberry flavors. To order, you must enclose both the **Astronaut Ice Cream** order form and the product information card found in your SPACE SHUTTLE PROJECT™ game package. Cost per ice cream packet is \$3.00, postage and handling included.

Order today while supplies on Earth last!

# Nintendo ENTERTAINMENT SYSTEM

## **ABSOLUTE ENTERTAINMENT, INC.'S LIMITED 90-DAY WARRANTY**

Absolute Entertainment, Inc. warrants to the original retail purchaser of this video game computer program ("Program") that the cartridge ("Cartridge") on which the Program is embodied will be free from defects in materials and workmanship for a period of ninety (90) days from the day of purchase. If your Cartridge becomes defective during that period, Absolute Entertainment, Inc. will replace it free of charge.

To replace a defective Cartridge during the warranty period, mail the entire Cartridge, proof of your purchase with the purchase date circled, a brief statement describing the defect, and a large, self-addressed stamped envelope to:

Warranty Officer  
Absolute Entertainment, Inc.  
P.O. Box 116  
Glen Rock, New Jersey 07452  
Tel: (201) 652-1027

We recommend that defective Cartridges be packaged carefully and sent certified mail, return receipt requested. Absolute Entertainment, Inc. will not be responsible for replacing defective Cartridges until they have been received by us at the above address.

This warranty is limited to the Cartridge as originally supplied by Absolute Entertainment, Inc. and is not applicable to the Program embodied on the Cartridge. This warranty will not be honored if the defect has arisen through abuse, mistreatment, improper care of the Cartridge, neglect, or normal wear and tear.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND NO OTHER REPRESENTATIONS OR CLAIMS OF ANY NATURE WILL BE BINDING ON OR OBLIGATE ABSOLUTE ENTERTAINMENT, INC. IN NO EVENT WILL ABSOLUTE ENTERTAINMENT, INC. BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM POSSESSION, USE OR MALFUNCTION OF THIS CARTRIDGE OR PROGRAM, INCLUDING DAMAGE TO PROPERTY, AND TO THE EXTENT PERMITTED UNDER THE LAW, DAMAGES FOR PERSONAL INJURY, EVEN IF ABSOLUTE ENTERTAINMENT, INC. HAS BEEN PREVIOUSLY ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

THE PROGRAM IS SOLD "AS-IS" AND NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES FOR MERCHANTABILITY OR FITNESS OF PURPOSE, WILL BE APPLICABLE. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS AND/OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND/OR EXCLUSION OR LIMITATION OF LIABILITY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIAL LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

## **COMPLIANCE WITH F.C.C. REGULATIONS**

This equipment generates and uses radio frequency energy and if not installed and used properly, that is, in strict accordance with the manufacturer's instructions, may cause interference to radio and television reception. It has been type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in subpart J of Part 15 of FCC Rules, which are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient the receiving antenna.
- Move the NES away from the receiver.
- Plug the NES into a different outlet so that the computer and receiver are on different circuits.

If necessary, the user should consult an experienced radio/television technician for additional suggestions. The user may find the following booklet prepared by the Federal Communications Commission helpful: How to Identify and Resolve Radio-TV Interference Problems. This booklet is available from the U.S. Government Printing Office, Washington, DC 20402. Stock No. 034-000-00045-4.